

130° Ga-mma Nail with Anti -Rotation Screw, Short

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180	TI-600S-09-180
9mm	200	600S-09-200	TI-600S-09-200
9mm	220	600S-09-220	TI-600S-09-220
9mm	240	600S-09-240	TI-600S-09-240
10mm	180	600S-10-180	TI-600S-10-180
10mm	200	600S-10-200	TI-600S-10-200
10mm	220	600S-10-220	TI-600S-10-220
10mm	240	600S-10-240	TI-600S-10-240
11mm	180	600S-11-180	TI-600S-11-180
11mm	200	600S-11-200	TI-600S-11-200
11mm	220	600S-11-220	TI-600S-11-220
11mm	240	600S-11-240	TI-600S-11-240
12mm	180	600S-12-180	TI-600S-12-180
12mm	200	600S-12-200	TI-600S-12-200
12mm	220	600S-12-220	TI-600S-12-220
12mm	240	600S-12-240	TI-600S-12-240
13mm	180	600S-13-180	TI-600S-13-180
13mm	200	600S-13-200	TI-600S-13-200
13mm	220	600S-13-220	TI-600S-13-220
13mm	240	600S-13-240	TI-600S-13-240



130° Ga-mma Nail with Anti -Rotation Screw, Long

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L	TI-600L-09-320L	600L-09-320R	TI-600L-09-320R
9mm	340	600L-09-340L	TI-600L-09-340L	600L-09-340R	TI-600L-09-340R
9mm	360	600L-09-360L	TI-600L-09-360L	600L-09-360R	TI-600L-09-360R
9mm	380	600L-09-380L	TI-600L-09-380L	600L-09-380R	TI-600L-09-380R
9mm	400	600L-09-400L	TI-600L-09-400L	600L-09-400R	TI-600L-09-400R
9mm	420	600L-09-420L	TI-600L-09-420L	600L-09-420R	TI-600L-09-420R
9mm	440	600L-09-440L	TI-600L-09-440L	600L-09-440R	TI-600L-09-440R
10mm	320	600L-10-320L	TI-600L-10-320L	600L-10-320R	TI-600L-10-320R
10mm	340	600L-10-340L	TI-600L-10-340L	600L-10-340R	TI-600L-10-340R
10mm	360	600L-10-360L	TI-600L-10-360L	600L-10-360R	TI-600L-10-360R
10mm	380	600L-10-380L	TI-600L-10-380L	600L-10-380R	TI-600L-10-380R
10mm	400	600L-10-400L	TI-600L-10-400L	600L-10-400R	TI-600L-10-400R
10mm	420	600L-10-420L	TI-600L-10-420L	600L-10-420R	TI-600L-10-420R
10mm	440	600L-10-440L	TI-600L-10-440L	600L-10-440R	TI-600L-10-440R
11mm	320	600L-11-320L	TI-600L-11-320L	600L-11-320R	TI-600L-11-320R
11mm	340	600L-11-340L	TI-600L-11-340L	600L-11-340R	TI-600L-11-340R
11mm	360	600L-11-360L	TI-600L-11-360L	600L-11-360R	TI-600L-11-360R
11mm	380	600L-11-380L	TI-600L-11-380L	600L-11-380R	TI-600L-11-380R
11mm	400	600L-11-400L	TI-600L-11-400L	600L-11-400R	TI-600L-11-400R
11mm	420	600L-11-420L	TI-600L-11-420L	600L-11-420R	TI-600L-11-420R
11mm	440	600L-11-440L	TI-600L-11-440L	600L-11-440R	TI-600L-11-440R
12mm	320	600L-12-320L	TI-600L-12-320L	600L-12-320R	TI-600L-12-320R
12mm	340	600L-12-340L	TI-600L-12-340L	600L-12-340R	TI-600L-12-340R
12mm	360	600L-12-360L	TI-600L-12-360L	600L-12-360R	TI-600L-12-360R
12mm	380	600L-12-380L	TI-600L-12-380L	600L-12-380R	TI-600L-12-380R
12mm	400	600L-12-400L	TI-600L-12-400L	600L-12-400R	TI-600L-12-400R
12mm	420	600L-12-420L	TI-600L-12-420L	600L-12-420R	TI-600L-12-420R
12mm	440	600L-12-440L	TI-600L-12-440L	600L-12-440R	TI-600L-12-440R
13mm	320	600L-13-320L	TI-600L-13-320L	600L-13-320R	TI-600L-13-320R
13mm	340	600L-13-340L	TI-600L-13-340L	600L-13-340R	TI-600L-13-340R
13mm	360	600L-13-360L	TI-600L-13-360L	600L-13-360R	TI-600L-13-360R
13mm	380	600L-13-380L	TI-600L-13-380L	600L-13-380R	TI-600L-13-380R
13mm	400	600L-13-400L	TI-600L-13-400L	600L-13-400R	TI-600L-13-400R
13mm	420	600L-13-420L	TI-600L-13-420L	600L-13-420R	TI-600L-13-420R
13mm	440	600L-13-440L	TI-600L-13-440L	600L-13-440R	TI-600L-13-440R



130° Ga-mma Nail, Type - II, Short

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180	TI-1457S-09-180
9mm	200	1457S-09-200	TI-1457S-09-200
9mm	220	1457S-09-220	TI-1457S-09-220
9mm	240	1457S-09-240	TI-1457S-09-240
10mm	180	1457S-10-180	TI-1457S-10-180
10mm	200	1457S-10-200	TI-1457S-10-200
10mm	220	1457S-10-220	TI-1457S-10-220
10mm	240	1457S-10-240	TI-1457S-10-240
11mm	180	1457S-11-180	TI-1457S-11-180
11mm	200	1457S-11-200	TI-1457S-11-200
11mm	220	1457S-11-220	TI-1457S-11-220
11mm	240	1457S-11-240	TI-1457S-11-240
12mm	180	1457S-12-180	TI-1457S-12-180
12mm	200	1457S-12-200	TI-1457S-12-200
12mm	220	1457S-12-220	TI-1457S-12-220
12mm	240	1457S-12-240	TI-1457S-12-240
13mm	180	1457S-13-180	TI-1457S-13-180
13mm	200	1457S-13-200	TI-1457S-13-200
13mm	220	1457S-13-220	TI-1457S-13-220
13mm	240	1457S-13-240	TI-1457S-13-240



130° Ga-mma Nail, Type - II, Long

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L	TI-1457L-09-320L	1457L-09-320R	TI-1457L-09-320R
9mm	340	1457L-09-340L	TI-1457L-09-340L	1457L-09-340R	TI-1457L-09-340R
9mm	360	1457L-09-360L	TI-1457L-09-360L	1457L-09-360R	TI-1457L-09-360R
9mm	380	1457L-09-380L	TI-1457L-09-380L	1457L-09-380R	TI-1457L-09-380R
9mm	400	1457L-09-400L	TI-1457L-09-400L	1457L-09-400R	TI-1457L-09-400R
9mm	420	1457L-09-420L	TI-1457L-09-420L	1457L-09-420R	TI-1457L-09-420R
9mm	440	1457L-09-440L	TI-1457L-09-440L	1457L-09-440R	TI-1457L-09-440R
10mm	320	1457L-10-320L	TI-1457L-10-320L	1457L-10-320R	TI-1457L-10-320R
10mm	340	1457L-10-340L	TI-1457L-10-340L	1457L-10-340R	TI-1457L-10-340R
10mm	360	1457L-10-360L	TI-1457L-10-360L	1457L-10-360R	TI-1457L-10-360R
10mm	380	1457L-10-380L	TI-1457L-10-380L	1457L-10-380R	TI-1457L-10-380R
10mm	400	1457L-10-400L	TI-1457L-10-400L	1457L-10-400R	TI-1457L-10-400R
10mm	420	1457L-10-420L	TI-1457L-10-420L	1457L-10-420R	TI-1457L-10-420R
10mm	440	1457L-10-440L	TI-1457L-10-440L	1457L-10-440R	TI-1457L-10-440R
11mm	320	1457L-11-320L	TI-1457L-11-320L	1457L-11-320R	TI-1457L-11-320R
11mm	340	1457L-11-340L	TI-1457L-11-340L	1457L-11-340R	TI-1457L-11-340R
11mm	360	1457L-11-360L	TI-1457L-11-360L	1457L-11-360R	TI-1457L-11-360R
11mm	380	1457L-11-380L	TI-1457L-11-380L	1457L-11-380R	TI-1457L-11-380R
11mm	400	1457L-11-400L	TI-1457L-11-400L	1457L-11-400R	TI-1457L-11-400R
11mm	420	1457L-11-420L	TI-1457L-11-420L	1457L-11-420R	TI-1457L-11-420R
11mm	440	1457L-11-440L	TI-1457L-11-440L	1457L-11-440R	TI-1457L-11-440R
12mm	320	1457L-12-320L	TI-1457L-12-320L	1457L-12-320R	TI-1457L-12-320R
12mm	340	1457L-12-340L	TI-1457L-12-340L	1457L-12-340R	TI-1457L-12-340R
12mm	360	1457L-12-360L	TI-1457L-12-360L	1457L-12-360R	TI-1457L-12-360R
12mm	380	1457L-12-380L	TI-1457L-12-380L	1457L-12-380R	TI-1457L-12-380R
12mm	400	1457L-12-400L	TI-1457L-12-400L	1457L-12-400R	TI-1457L-12-400R
12mm	420	1457L-12-420L	TI-1457L-12-420L	1457L-12-420R	TI-1457L-12-420R
12mm	440	1457L-12-440L	TI-1457L-12-440L	1457L-12-440R	TI-1457L-12-440R
13mm	320	1457L-13-320L	TI-1457L-13-320L	1457L-13-320R	TI-1457L-13-320R
13mm	340	1457L-13-340L	TI-1457L-13-340L	1457L-13-340R	TI-1457L-13-340R
13mm	360	1457L-13-360L	TI-1457L-13-360L	1457L-13-360R	TI-1457L-13-360R
13mm	380	1457L-13-380L	TI-1457L-13-380L	1457L-13-380R	TI-1457L-13-380R
13mm	400	1457L-13-400L	TI-1457L-13-400L	1457L-13-400R	TI-1457L-13-400R
13mm	420	1457L-13-420L	TI-1457L-13-420L	1457L-13-420R	TI-1457L-13-420R
13mm	440	1457L-13-440L	TI-1457L-13-440L	1457L-13-440R	TI-1457L-13-440R



Cephalic Screw



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120

4.8mm Locking Screws



Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
62	600-062	TI-600-062
64	600-064	TI-600-064
66	600-066	TI-600-066
68	600-068	TI-600-068
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

End Cap, Ga-mma Nail with Anti-Rotation Screw



Length (mm)	Stainless Steel	Titanium
1	600-001E	TI-600-001E
5	600-005E	TI-600-005E
10	600-010E	TI-600-010E
15	600-015E	TI-600-015E

Inner Screw, Ga-mma Nail with Anti-Rotation Screw



Stainless Steel	Titanium
600-0S	TI-600-0S

Anti-Rotation Screw, Ø6.4mm



Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060	TI-600A-6.4-060
65	600A-6.4-065	TI-600A-6.4-065
70	600A-6.4-070	TI-600A-6.4-070
75	600A-6.4-075	TI-600A-6.4-075
80	600A-6.4-080	TI-600A-6.4-080
85	600A-6.4-085	TI-600A-6.4-085
90	600A-6.4-090	TI-600A-6.4-090
95	600A-6.4-095	TI-600A-6.4-095
100	600A-6.4-100	TI-600A-6.4-100
105	600A-6.4-105	TI-600A-6.4-105
110	600A-6.4-110	TI-600A-6.4-110
115	600A-6.4-115	TI-600A-6.4-115
120	600A-6.4-120	TI-600A-6.4-120

Cephalic Screw



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120

4.8mm Locking Screws



Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
62	600-062	TI-600-062
64	600-064	TI-600-064
66	600-066	TI-600-066
68	600-068	TI-600-068
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

End Cap, Ga-mma Nail, Type - II



Length (mm)	Stainless Steel	Titanium
1	1457-001E	TI-1457-001E
5	1457-005E	TI-1457-005E
10	1457-010E	TI-1457-010E
15	1457-015E	TI-1457-015E

Inner Screw, Ga-mma Nail Type -II



Stainless Steel	Titanium
1457-0S	TI-1457-0S

