



No.1 & GROWING
NARANG MEDICAL LIMITED
ISO 9001:2000, ISO 13485:2003, CE & WHO-GMP Compliance

□ HAND & FOOT IMPLANTS





□ BONE SCREWS & PLATES



1.5MM CORTICAL SCREWS, MINI

Length in mm.	Code No. S.S.
6	118.006
7	118.007
8	118.008
9	118.009
10	118.010
11	118.011
12	118.012
14	118.014
16	118.016
18	118.018
20	118.020

Drill Bit: 1.1mm

Length in mm.	Code No. TITANIUM
6	Ti-118.006
7	Ti-118.007
8	Ti-118.008
9	Ti-118.009
10	Ti-118.010
11	Ti-118.011
12	Ti-118.012
14	Ti-118.014
16	Ti-118.016
18	Ti-118.018
20	Ti-118.020

Drill Bit: 1.1mm



SCREW, 1.0MM DIA.



Length in mm	STAINLESS STEEL	
	⊖ Slotted Head	⊕ Cross Head
4	60.04	61.04
5	60.05	61.05
6	60.06	61.06
7	60.07	61.07
8	60.08	61.08
9	60.09	61.09
10	60.10	61.10

Length in mm	TITANIUM	
	⊖ Slotted Head	⊕ Cross Head
4	Ti-60.04	Ti-61.04
5	Ti-60.05	Ti-61.05
6	Ti-60.06	Ti-61.06
7	Ti-60.07	Ti-61.07
8	Ti-60.08	Ti-61.08
9	Ti-60.09	Ti-61.09
10	Ti-60.10	Ti-61.10



SCREW, 1.3MM DIA.



Length in mm	STAINLESS STEEL	
	Slotted Head	Cross Head
4	63.04	64.04
5	63.05	64.05
6	63.06	64.06
7	63.07	64.07
8	63.08	64.08
9	63.09	64.09
10	63.10	64.10

Length in mm	TITANIUM	
	Slotted Head	Cross Head
4	Ti-63.04	Ti-64.04
5	Ti-63.05	Ti-64.05
6	Ti-63.06	Ti-64.06
7	Ti-63.07	Ti-64.07
8	Ti-63.08	Ti-64.08
9	Ti-63.09	Ti-64.09
10	Ti-63.10	Ti-64.10

04
3



SCREW, 1.5MM DIA.



Length in mm	STAINLESS STEEL	
	Slotted Head	Cross Head
4	01.04	08.04
5	01.05	08.05
6	01.06	08.06
7	01.07	08.07
8	01.08	08.08
9	01.09	08.09
10	01.10	08.10
11	01.11	08.11
12	01.12	08.12

Length in mm	TITANIUM	
	Slotted Head	Cross Head
4	Ti-01.04	Ti-08.04
5	Ti-01.05	Ti-08.05
6	Ti-01.06	Ti-08.06
7	Ti-01.07	Ti-08.07
8	Ti-01.08	Ti-08.08
9	Ti-01.09	Ti-08.09
10	Ti-01.10	Ti-08.10
11	Ti-01.11	Ti-08.11
12	Ti-01.12	Ti-08.12





MINI FRAGMENTS

...HAND & FOOT IMPLANTS



Length in mm.	Code No. S.S.
6	118.106
7	118.107
8	118.108
9	118.109
10	118.110
11	118.111
12	118.112
14	118.114
16	118.116
18	118.118
20	118.120

Drill Bit: 1.5mm

Length in mm.	Code No. TITANIUM
6	Ti-118.106
7	Ti-118.107
8	Ti-118.108
9	Ti-118.109
10	Ti-118.110
11	Ti-118.111
12	Ti-118.112
14	Ti-118.114
16	Ti-118.116
18	Ti-118.118
20	Ti-118.120

Drill Bit: 1.5mm



SCREW, 2.0MM DIA.



Length in mm	STAINLESS STEEL	
	⊖ Slotted Head	⊕ Cross Head
4	02.04	09.04
6	02.06	09.06
8	02.08	09.08
10	02.10	09.10
12	02.12	09.12
14	02.14	09.14
16	02.16	09.16
18	02.18	09.18

Length in mm	TITANIUM	
	⊖ Slotted Head	⊕ Cross Head
4	Ti-02.04	Ti-09.04
6	Ti-02.06	Ti-09.06
8	Ti-02.08	Ti-09.08
10	Ti-02.10	Ti-09.10
12	Ti-02.12	Ti-09.12
14	Ti-02.14	Ti-09.14
16	Ti-02.16	Ti-09.16
18	Ti-02.18	Ti-09.18



SCREW, 2.3MM DIA.



Length in mm	STAINLESS STEEL	
	Slotted Head	Cross Head
4	06.04	22.04
6	06.06	22.06
8	06.08	22.08
10	06.10	22.10
12	06.12	22.12
14	06.14	22.14
16	06.16	22.16
18	06.18	22.18

Length in mm	TITANIUM	
	Slotted Head	Cross Head
4	Ti-06.04	Ti-22.04
6	Ti-06.06	Ti-22.06
8	Ti-06.08	Ti-22.08
10	Ti-06.10	Ti-22.10
12	Ti-06.12	Ti-22.12
14	Ti-06.14	Ti-22.14
16	Ti-06.16	Ti-22.16
18	Ti-06.18	Ti-22.18

04
5



SCREW, 2.5MM DIA.



Length in mm	STAINLESS STEEL	
	Slotted Head	Cross Head
4	03.04	21.04
6	03.06	21.06
8	03.08	21.08
10	03.10	21.10
12	03.12	21.12
14	03.14	21.14
16	03.16	21.16
18	03.18	21.18
20	03.20	21.20

Length in mm	TITANIUM	
	Slotted Head	Cross Head
4	Ti-03.04	Ti-21.04
6	Ti-03.06	Ti-21.06
8	Ti-03.08	Ti-21.08
10	Ti-03.10	Ti-21.10
12	Ti-03.12	Ti-21.12
14	Ti-03.14	Ti-21.14
16	Ti-03.16	Ti-21.16
18	Ti-03.18	Ti-21.18
20	Ti-03.20	Ti-21.20





MINI FRAGMENTS

...HAND & FOOT IMPLANTS



SCREW, 2.7MM DIA.




Length in mm	STAINLESS STEEL	
	⊖ Slotted Head	⊕ Cross Head
4	04.04	23.04
6	04.06	23.06
8	04.08	23.08
10	04.10	23.10
12	04.12	23.12
14	04.14	23.14
16	04.16	23.16
18	04.18	23.18
20	04.20	23.20
22	04.22	23.22
24	04.24	23.24

Length in mm	TITANIUM	
	⊖ Slotted Head	⊕ Cross Head
4	Ti-04.04	Ti-23.04
6	Ti-04.06	Ti-23.06
8	Ti-04.08	Ti-23.08
10	Ti-04.10	Ti-23.10
12	Ti-04.12	Ti-23.12
14	Ti-04.14	Ti-23.14
16	Ti-04.16	Ti-23.16
18	Ti-04.18	Ti-23.18
20	Ti-04.20	Ti-23.20
22	Ti-04.22	Ti-23.22
24	Ti-04.24	Ti-23.24


04
6

2.7MM CORTICAL SCREWS





Length in mm.	Code No. S.S.
6	101.006
8	101.008
10	101.010
12	101.012
14	101.014
16	101.016
18	101.018
20	101.020
22	101.022
24	101.024
26	101.026
28	101.028
30	101.030

Drill Bit: 2mm



Length in mm.	Code No. TITANIUM
6	Ti-101.006
8	Ti-101.008
10	Ti-101.010
12	Ti-101.012
14	Ti-101.014
16	Ti-101.016
18	Ti-101.018
20	Ti-101.020
22	Ti-101.022
24	Ti-101.024
26	Ti-101.026
28	Ti-101.028
30	Ti-101.030

Drill Bit: 2mm



2.7MM CORTICAL SCREWS SELF TAPPING

Length in mm.	Code No. S.S.
6	101.206
8	101.208
10	101.210
12	101.212
14	101.214
16	101.216
18	101.218
20	101.220
22	101.222
24	101.224
26	101.226
28	101.228
30	101.230

Drill Bit: 2mm

Length in mm.	Code No. TITANIUM
6	Ti-101.206
8	Ti-101.208
10	Ti-101.210
12	Ti-101.212
14	Ti-101.214
16	Ti-101.216
18	Ti-101.218
20	Ti-101.220
22	Ti-101.222
24	Ti-101.224
26	Ti-101.226
28	Ti-101.228
30	Ti-101.230

Drill Bit: 2mm

04
7



Y-ADAPTION PLATE

Dia. in mm	Head Holes	Shaft Holes	Stainless Steel
1.3	3	8	84.38

Dia. in mm	Head Holes	Shaft Holes	TITANIUM
1.3	3	8	Ti-84.38





T-ADAPTION PLATE

Dia. in mm	Head Holes	Shaft Holes	Stainless Steel
1.3	3	8	83.38
1.3	4	8	83.48
1.5	3	9	83.39
1.5	4	9	83.49

Dia. in mm	Head Holes	Shaft Holes	TITANIUM
1.3	3	8	Ti-83.38
1.3	4	8	Ti-83.48
1.5	3	9	Ti-83.39
1.5	4	9	Ti-83.49

04
8



T-PLATE 1.5MM / 2.0MM

Dia. in mm	Head Holes	Shaft Holes	Stainless Steel
35	2	4	98.24
62	2	8	98.28

Dia. in mm	Head Holes	Shaft Holes	TITANIUM
35	2	4	Ti-98.24
62	2	8	Ti-98.28



ADAPTION PLATE

Dia. in mm	No. of Holes	Code S.S.
1.0	34	32.01
1.3	6	32.03
1.3	8	32.06
1.3	24	32.09
1.5	6	32.12
1.5	8	32.15
1.5	20	32.18
2.0	6	32.21
2.0	8	32.24
2.0	20	32.27

Dia. in mm	No. of Holes	Code Titanium
1.0	34	Ti-32.01
1.3	6	Ti-32.03
1.3	8	Ti-32.06
1.3	24	Ti-32.09
1.5	6	Ti-32.12
1.5	8	Ti-32.15
1.5	20	Ti-32.18
2.0	6	Ti-32.21
2.0	8	Ti-32.24
2.0	20	Ti-32.27



MINI CONDYLAR PLATE

Dia. in mm	Type	Code S.S.
1.5	Pin Left	74.01
1.5	Pin Right	74.02
2.0	Pin Left	74.03
2.0	Pin Right	74.04
2.7	Pin Left	74.05
2.7	Pin Right	74.06

Dia. in mm	Type	Code Titanium
1.5	Pin Left	Ti-74.01
1.5	Pin Right	Ti-74.02
2.0	Pin Left	Ti-74.03
2.0	Pin Right	Ti-74.04
2.7	Pin Left	Ti-74.05
2.7	Pin Right	Ti-74.06

04
9



MINI L PLATE FOR 2MM SCREWS

Type	Code S.S.
Left	122.101
Right	122.102
Oblique Left	122.103
Oblique Right	122.104

Profile:
Shaft with two holes & head with two holes.

Type	Code TITANIUM
Left	Ti-122.101
Right	Ti-122.102
Oblique Left	Ti-122.103
Oblique Right	Ti-122.104

Profile:
Shaft with two holes & head with two holes.





MINI T PLATE FOR 2MM SCREWS

Stainless Steel

Code No. 123.100


Profile:
Shaft with two holes & head with two holes.

Code No. TITANIUM

Code No. Ti-123.100

Profile:
Shaft with two holes & head with two holes.


04
10



L PLATE FOR 2.7MM SCREWS

Type	Code S.S.
Left	133.101
Right	133.102
Oblique Left	133.103
Oblique Right	133.104

Type	Code S.S.
Left	Ti-133.101
Right	Ti-133.102
Oblique Left	Ti-133.103
Oblique Right	Ti-133.104



T-PLATE FOR 2.7MM SCREWS

Stainless Steel

Code No. 134.100

Shaft with three holes & head with two holes.

Code No. TITANIUM

Code No. Ti-134.100

Shaft with three holes & head with two holes.



DCP PLATES - 2.0MM

No. of Holes	Code No. S.S.
4	121.554
5	121.555
6	121.556
7	121.557
8	121.558

No. of Holes	Code No. TITANIUM
4	Ti-121.554
5	Ti-121.555
6	Ti-121.556
7	Ti-121.557
8	Ti-121.558

04
11



MINI STRAIGHT PLATES FOR 2MM SCREWS

No. of Holes	Code No. S.S.
2	121.102
3	121.103
4	121.104
5	121.105
6	121.106
7	121.107
8	121.108

No. of Holes	Code No. TITANIUM
2	Ti-121.102
3	Ti-121.103
4	Ti-121.104
5	Ti-121.105
6	Ti-121.106
7	Ti-121.107
8	Ti-121.108





MINI FRAGMENTS

...HAND & FOOT IMPLANTS



DYNAMIC COMPRESSION PLATE - 2.7MM


No. of Holes	Length in mm	Code S.S.
2	20	132.102
3	28	132.103
4	36	132.104
5	44	132.105
6	52	132.106
7	60	132.107
8	68	132.108
9	76	132.109
10	84	132.110
12	100	132.112

Thickness (upto 6 Holes): 2mm
(7 to 12 Holes): 2.5mm

No. of Holes	Length in mm	Code Titanium
2	20	Ti-132.102
3	28	Ti-132.103
4	36	Ti-132.104
5	44	Ti-132.105
6	52	Ti-132.106
7	60	Ti-132.107
8	68	Ti-132.108
9	76	Ti-132.109
10	84	Ti-132.110
12	100	Ti-132.112

Thickness (upto 6 Holes): 2mm
(7 to 12 Holes): 2.5mm


04
12



QUARTER TUBULAR PLATE FOR 2.7MM SCREWS

No. of Holes	Length in mm	Code S.S.
2	18	131.102
3	26	131.103
4	34	131.104
5	42	131.105
6	50	131.106
7	58	131.107
8	66	131.108
9	74	131.109
10	82	131.110

No. of Holes	Length in mm	Code Titanium
2	18	Ti-131.102
3	26	Ti-131.103
4	34	Ti-131.104
5	42	Ti-131.105
6	50	Ti-131.106
7	58	Ti-131.107
8	66	Ti-131.108
9	74	Ti-131.109
10	82	Ti-131.110



RECONSTRUCTION PLATE FOR 2.7MM SCREWS STRAIGHT

No. of Holes	Code No. S.S.
2	135.102
3	135.103
4	135.104
5	135.105
6	135.106
7	135.107
8	135.108
9	135.109
10	135.110
11	135.111
12	135.112
14	135.114
16	135.116
18	135.118
20	135.120
22	135.122
24	135.124

No. of Holes	Code No. TITANIUM
2	Ti-135.102
3	Ti-135.103
4	Ti-135.104
5	Ti-135.105
6	Ti-135.106
7	Ti-135.107
8	Ti-135.108
9	Ti-135.109
10	Ti-135.110
11	Ti-135.111
12	Ti-135.112
14	Ti-135.114
16	Ti-135.116
18	Ti-135.118
20	Ti-135.120
22	Ti-135.122
24	Ti-135.124

04
13



MINI H-PLATE

Dia. in mm	No. of Holes	Code S.S.
1	11	69.01
1.3	11	69.04
1.5	8	69.07
1.5	9	69.10
2	8	69.13
2	9	69.16

Dia. in mm	No. of Holes	Code Titanium
1	11	Ti-69.01
1.3	11	Ti-69.04
1.5	8	Ti-69.07
1.5	9	Ti-69.10
2	8	Ti-69.13
2	9	Ti-69.16






ANTERIOR FOOT PLATE

Type L/R	Height mm	Code S.S.
Left	6	93.02L
Right	6	93.02R
Left	10	93.06L
Right	10	93.06R
Left	14	93.50L
Right	14	93.50R

Type L/R	Height mm	Code Titanium
Left	6	Ti-93.02L
Right	6	Ti-93.02R
Left	10	Ti-93.06L
Right	10	Ti-93.06R
Left	14	Ti-93.50L
Right	14	Ti-93.50R

04
14



POSTERIOR FOOT PLATE

Offset mm	Height mm	Code S.S.
7	15	94.42L
7	20	94.42R
7	25	94.46L
12	15	94.46R
12	20	94.50L
12	25	94.50R

Offset mm	Height mm	Code Titanium
7	15	Ti-94.42L
7	20	Ti-94.42R
7	25	Ti-94.46L
12	15	Ti-94.46R
12	20	Ti-94.50L
12	25	Ti-94.50R

CANNULATED SCREWS FOR HAND & FOOT



PLEASE REFER TO PAGE NOS.: 07/2 to 07/32 FOR OUR COMPLETE RANGE OF CANNULATED SCREWS RANGE.

**AS510 MINI FRAGMENTS IMPLANTS & INSTRUMENT SET, S.S.**

<i>Set Consisting of</i>		<i>Units</i>
118.006	Cortical Screws, 1.5mm Dia, Mini, L 6mm, SS	4
118.007	Cortical Screws, 1.5mm Dia, Mini, L 7mm, SS	4
118.008	Cortical Screws, 1.5mm Dia, Mini, L 8mm, SS	4
118.009	Cortical Screws, 1.5mm Dia, Mini, L 9mm, SS	4
118.010	Cortical Screws, 1.5mm Dia, Mini, L 10mm, SS	4
118.011	Cortical Screws, 1.5mm Dia, Mini, L 11mm, SS	4
118.012	Cortical Screws, 1.5mm Dia, Mini, L 12mm, SS	4
118.014	Cortical Screws, 1.5mm Dia, Mini, L 14mm, SS	4
118.016	Cortical Screws, 1.5mm Dia, Mini, L 16mm, SS	4
118.106	Cortical Screws, 2.0mm Dia, Mini, L 6mm, SS	4
118.108	Cortical Screws, 2.0mm Dia, Mini, L 8mm, SS	4
118.110	Cortical Screws, 2.0mm Dia, Mini, L 10mm, SS	4
118.112	Cortical Screws, 2.0mm Dia, Mini, L 12mm, SS	4
118.114	Cortical Screws, 2.0mm Dia, Mini, L 14mm, SS	4
118.116	Cortical Screws, 2.0mm Dia, Mini, L 16mm, SS	4
118.118	Cortical Screws, 2.0mm Dia, Mini, L 18mm, SS	4
118.120	Cortical Screws, 2.0mm Dia, Mini, L 20mm, SS	4
101.006	Cortical Screws γ 2.7mm, L 6mm, SS	5
101.008	Cortical Screws SS 2.7mm Dia., L 8mm	5
101.010	Cortical Screws SS 2.7mm Dia., L 10mm	5
101.012	Cortical Screws SS 2.7mm Dia., L 12mm	5
101.014	Cortical Screws SS 2.7mm Dia., L 14mm	5
101.016	Cortical Screws SS 2.7mm Dia., L 16mm	5
101.018	Cortical Screws SS 2.7mm Dia., L 18mm	5
101.020	Cortical Screws SS 2.7mm Dia., L 20mm	5
101.022	Cortical Screws SS 2.7mm Dia., L 22mm	5
101.024	Cortical Screws SS 2.7mm Dia., L 24mm	5
131.103	Quarter Tubular Plate for 2.7mm, 3 Holes, SS	2
131.104	Quarter Tubular Plate for 2.7mm, 4 Holes, SS	2
131.105	Quarter Tubular Plate for 2.7mm, 5 Holes, SS	2
131.106	Quarter Tubular Plate for 2.7mm, 6 Holes, SS	1
131.107	Quarter Tubular Plate for 2.7mm, 7 Holes, SS	1
131.108	Quarter Tubular Plate for 2.7mm, 8 Holes, SS	1
133.101	L-Plate for 2.7mm Screws, Left, SS	2
133.102	L-Plate for 2.7mm Screws, Right, SS	2
134.100	T-Plate for 2.7mm Screws, SS	4
121.103	Mini Straight Plate for 2mm Screws, 3 Holes, SS	2
121.104	Mini Straight Plate for 2mm Screws, 4 Holes, SS	2
121.105	Mini Straight Plate for 2mm Screws, 5 Holes, SS	2
121.106	Mini Straight Plate for 2mm Screws, 6 Holes, SS	2
122.101	Mini L-Plate for 2mm Screws, Left, SS	2
122.102	Mini L-Plate for 2mm Screws, Right, SS	2
123.100	Mini T-Plate for 2mm Screws, SS	4
74.03	Mini Condylar Plate 2.0mm with Left Pin, SS	2
74.04	Mini Condylar Plate 2.0mm with Right Pin, SS	2
74.01	Mini Condylar Plate 1.5mm with Left Pin, SS	2
74.02	Mini Condylar Plate 1.5mm with Right Pin, SS	2

04
15*Contd...*

<i>Set Consisting of</i>		<i>Units</i>
185.101	Kirschner Wire with Trocar Tip, 0.8mm Dia, Length 70mm, SS	10
185.116	Kirschner Wire with Trocar Tip, 1.0mm Dia, Length 150mm, SS	10
185.127	Kirschner Wire with Trocar Tip, 1.2mm Dia, Length 150mm, SS	10
185.146	Kirschner Wire with Trocar Tip, 1.6mm Dia, Length 150mm, SS	10
311.002	Mini Hexagonal Screws Driver with Sleeve (1.5mm), SS	1
311.003	Mini Drill Sleeve, SS	1
311.004	Mini Tap Sleeve, SS	1
311.005	Mini Depth Gauge, SS	1
311.006	Mini Self Retaining Retractor for Fingers, SS	1
311.007	Mini Self Retaining Retractor for Metacarpals, SS	1
311.008	Mini Self Retaining Retractor for Metacarpals (with Hinge), SS	1
311.009	Mini Neutral & Loaded Drill Guide, SS	1
311.010	Mini Plate Bender (Pair), SS	1
311.011	Mini Screws holding Forceps (for 1.5 & 2.0mm Screws), SS	1
311.012	Hollow Mill for 1.5mm & 2.0mm Screws, SS	1
311.013	Mini Plate Holding Forceps, SS	1
311.014	Mini Plate & Bone Holding Forceps, SS	1
311.015	Mini Reduction Forceps, SS	1
311.016	Mini Reduction Forceps (Pointed), SS	1
311.017	Mini Periosteal Elevator, SS	1
311.018	Mini Chisels, Size: 4mm, SS	1
311.019	Mini Chisels, Size: 6mm, SS	1
311.020	Mini Chisels, Size: 8mm, SS	1
311.021	Mini Chisels,Size: 10mm, SS	1
311.022	Mini Chisels, Size: 12mm, SS	1
311.023	Mini Osteotomes,Size: 4mm, SS	1
311.024	Mini Osteotomes,Size: 6mm, SS	1
311.025	Mini Osteotomes, Size: 8mm, SS	1
311.026	Mini Osteotomes,Size: 10mm, SS	1
311.027	Mini Osteotomes, Size: 12mm, SS	1
311.028	Mini Gouge, Size: 4mm, SS	1
311.029	Mini Gouge,Size: 6mm, SS	1
311.030	Mini Gouge, Size: 8mm, SS	1
311.031	Mini Gouge, Size: 10mm, SS	1
311.032	Mini Gouge, Size: 12mm, SS	1
311.034	Mini Hohmann Retractors, Size: 6mm, SS	1
311.035	Mini Hohmann Retractors, Size: 8mm, SS	1
311.036	Mini Hohmann Retractors, Size: 10mm, SS	1
906.049	SS Container	1



**Mini Hexagonal Screw Driver with Sleeve
(1.5mm Tip)**

Code No.: 311.002



Mini Periosteal Elevator

Code No.: 311.017



Mini Tap Sleeve
Code No.: 311.004



Mini Drill Sleeve
Code No.: 311.003



Mini Depth Gauge
Code No.: 311.005



Mini Plate Bender (Pair)
Code No.: 311.010

04
17



Mini Neutral & Loaded Drill Guide
Code No.: 311.009



Mini Screw Holding Forceps
(for 1.5 & 2.0mm Screws)
Code No.: 311.011



Mini Chisels
Sizes: 4, 6, 8, 10 & 12mm
Code No.: 311.018 to 022



Mini Osteotomes
Sizes: 4, 6, 8, 10 & 12mm
Code No.: 311.023 to 027



Mini Gouge
Sizes: 4, 6, 8, 10 & 12mm
Code No.: 311.028 to 032



Mini Hohmann Retractors
Sizes: 6, 8, 10mm
Code No.: 311.034 to 036





**Hollow Mill
for 1.5mm & 2.0mm Screws**
Code No.: 311.012



Mini Self Retaining Retractor for Fingers
Code No.: 311.006

04
18



Mini Self Retaining Retractor for Metacarpals
Code No.: 311.007



Mini Self Retaining Retractor for Metacarpals (with Hinge)
Code No.: 311.008



Mini Plate Holding Forceps
Code No.: 311.013



Mini Plate & Bone Holding Forceps
Code No.: 311.014



Mini Reduction Forceps (Serrated)
Code No.: 311.015



Mini Reduction Forceps (Pointed)
Code No.: 311.016