



KUNTSCHER CLOVERLEAF NAILS STAINLESS STEEL

Length cm	Diameters													
	6 mm	7 mm	8 mm	9 mm	10 mm	11 mm	12 mm	13 mm	14 mm	15 mm				
20	181.06-20	181.07-20	-	-	-	-	-	-	-	-	-	-	-	-
21	181.06-21	181.07-21	-	-	-	-	-	-	-	-	-	-	-	-
22	181.06-22	181.07-22	-	-	-	-	-	-	-	-	-	-	-	-
23	181.06-23	181.07-23	-	-	-	-	-	-	-	-	-	-	-	-
24	181.06-24	181.07-24	181.08-24	181.09-24	-	-	-	-	-	-	-	-	-	-
25	181.06-25	181.07-25	181.08-25	181.09-25	-	-	-	-	-	-	-	-	-	-
26	181.06-26	181.07-26	181.08-26	181.09-26	181.10-26	181.11-26	181.12-26	181.13-26	181.14-26	181.15-26	-	-	-	-
27	181.06-27	181.07-27	181.08-27	181.09-27	181.10-27	181.11-27	181.12-27	181.13-27	181.14-27	181.15-27	-	-	-	-
28	181.06-28	181.07-28	181.08-28	181.09-28	181.10-28	181.11-28	181.12-28	181.13-28	181.14-28	181.15-28	-	-	-	-
29	181.06-29	181.07-29	181.08-29	181.09-29	181.10-29	181.11-29	181.12-29	181.13-29	181.14-29	181.15-29	-	-	-	-
30	181.06-30	181.07-30	181.08-30	181.09-30	181.10-30	181.11-30	181.12-30	181.13-30	181.14-30	181.15-30	-	-	-	-
31	181.06-31	181.07-31	181.08-31	181.09-31	181.10-31	181.11-31	181.12-31	181.13-31	181.14-31	181.15-31	-	-	-	-
32	181.06-32	181.07-32	181.08-32	181.09-32	181.10-32	181.11-32	181.12-32	181.13-32	181.14-32	181.15-32	-	-	-	-
33	181.06-33	181.07-33	181.08-33	181.09-33	181.10-33	181.11-33	181.12-33	181.13-33	181.14-33	181.15-33	-	-	-	-
34	181.06-34	181.07-34	181.08-34	181.09-34	181.10-34	181.11-34	181.12-34	181.13-34	181.14-34	181.15-34	-	-	-	-
35	181.06-35	181.07-35	181.08-35	181.09-35	181.10-35	181.11-35	181.12-35	181.13-35	181.14-35	181.15-35	-	-	-	-
36	181.06-36	181.07-36	181.08-36	181.09-36	181.10-36	181.11-36	181.12-36	181.13-36	181.14-36	181.15-36	-	-	-	-
37	181.06-37	181.07-37	181.08-37	181.09-37	181.10-37	181.11-37	181.12-37	181.13-37	181.14-37	181.15-37	-	-	-	-
38	181.06-38	181.07-38	181.08-38	181.09-38	181.10-38	181.11-38	181.12-38	181.13-38	181.14-38	181.15-38	-	-	-	-
39	181.06-39	181.07-39	181.08-39	181.09-39	181.10-39	181.11-39	181.12-39	181.13-39	181.14-39	181.15-39	-	-	-	-
40	181.06-40	181.07-40	181.08-40	181.09-40	181.10-40	181.11-40	181.12-40	181.13-40	181.14-40	181.15-40	-	-	-	-
41	-	-	181.08-41	181.09-41	181.10-41	181.11-41	181.12-41	181.13-41	181.14-41	181.15-41	-	-	-	-
42	-	-	181.08-42	181.09-42	181.10-42	181.11-42	181.12-42	181.13-42	181.14-42	181.15-42	-	-	-	-
43	-	-	181.08-43	181.09-43	181.10-43	181.11-43	181.12-43	181.13-43	181.14-43	181.15-43	-	-	-	-
44	-	-	181.08-44	181.09-44	181.10-44	181.11-44	181.12-44	181.13-44	181.14-44	181.15-44	-	-	-	-
45	-	-	-	-	181.10-45	181.11-45	181.12-45	181.13-45	181.14-45	181.15-45	-	-	-	-
46	-	-	-	-	181.10-46	181.11-46	181.12-46	181.13-46	181.14-46	181.15-46	-	-	-	-
47	-	-	-	-	181.10-47	181.11-47	181.12-47	181.13-47	181.14-47	181.15-47	-	-	-	-
48	-	-	-	-	181.10-48	181.11-48	181.12-48	181.13-48	181.14-48	181.15-48	-	-	-	-

Use with Instrument Set - AS120





BEND KUNTSCHER CLOVERLEAF NAIL FOR TIBIA - STAINLESS STEEL

Length in cm.	Diameters									
	7 mm	8 mm	9 mm	10 mm	11 mm	12 mm	13 mm	14 mm	15 mm	
26	182.07-26	182.08-26	182.09-26	182.10-26	182.11-26	182.12-26	182.13-26	182.14-26	182.15-26	
27	182.07-27	182.08-27	182.09-27	182.10-27	182.11-27	182.12-27	182.13-27	182.14-27	182.15-27	
28	182.07-28	182.08-28	182.09-28	182.10-28	182.11-28	182.12-28	182.13-28	182.14-28	182.15-28	
29	182.07-29	182.08-29	182.09-29	182.10-29	182.11-29	182.12-29	182.13-29	182.14-29	182.15-29	
30	182.07-30	182.08-30	182.09-30	182.10-30	182.11-30	182.12-30	182.13-30	182.14-30	182.15-30	
31	182.07-31	182.08-31	182.09-31	182.10-31	182.11-31	182.12-31	182.13-31	182.14-31	182.15-31	
32	182.07-32	182.08-32	182.09-32	182.10-32	182.11-32	182.12-32	182.13-32	182.14-32	182.15-32	
33	182.07-33	182.08-33	182.09-33	182.10-33	182.11-33	182.12-33	182.13-33	182.14-33	182.15-33	
34	182.07-34	182.08-34	182.09-34	182.10-34	182.11-34	182.12-34	182.13-34	182.14-34	182.15-34	
35	182.07-35	182.08-35	182.09-35	182.10-35	182.11-35	182.12-35	182.13-35	182.14-35	182.15-35	
36	182.07-36	182.08-36	182.09-36	182.10-36	182.11-36	182.12-36	182.13-36	182.14-36	182.15-36	
37	182.07-37	182.08-37	182.09-37	182.10-37	182.11-37	182.12-37	182.13-37	182.14-37	182.15-37	
38	182.07-38	182.08-38	182.09-38	182.10-38	182.11-38	182.12-38	182.13-38	182.14-38	182.15-38	
39	182.07-39	182.08-39	182.09-39	182.10-39	182.11-39	182.12-39	182.13-39	182.14-39	182.15-39	
40	182.07-40	182.08-40	182.09-40	182.10-40	182.11-40	182.12-40	182.13-40	182.14-40	182.15-40	
41	182.07-41	182.08-41	182.09-41	182.10-41	182.11-41	182.12-41	182.13-41	182.14-41	182.15-41	
42	182.07-42	182.08-42	182.09-42	182.10-42	182.11-42	182.12-42	182.13-42	182.14-42	182.15-42	
43	182.07-43	182.08-43	182.09-43	182.10-43	182.11-43	182.12-43	182.13-43	182.14-43	182.15-43	
44	182.07-44	182.08-44	182.09-44	182.10-44	182.11-44	182.12-44	182.13-44	182.14-44	182.15-44	

Use with Instrument Ser. - AS120



K.Nail Driver
Code No.: 384.002




K.Nail Impactor/Setting Device
Code No.: 384.004



K. NAIL REAMERS

Code No.	Size mm
384.020	6
384.022	7
384.024	8
384.026	9
384.028	10
384.030	11
384.032	12
384.034	13
384.036	14



GUIDE WIRE FOR KUNTSCHER NAILS

Code No.	Description
384.012	2.5mm for 6 & 7mm Nails
384.014	3.0mm for 8 & 9mm Nails
384.016	4.0mm for 10 & 11mm Nails
384.018	4.5mm for 12 & 13mm Nails



**CANNULATED REAMER
(T-TYPE)**

Code No.	Size
507.96-8	8 mm
507.96-9	9 mm
507.96-10	10 mm
507.96-11	11 mm
507.96-12	12 mm
507.96-13	13 mm
507.96-14	14 mm



**EXCEL REAMER
(T-TYPE)**

Code No.	Size
507.196-8	8 mm
507.196-9	9 mm
507.196-10	10 mm
507.196-11	11 mm
507.196-12	12 mm
507.196-13	13 mm
507.196-14	14 mm





MISC. NAILS, WIRES & PINS

...INSTRUMENTATION FOR K. NAILS




K.Nail Extractor with Two Hooks
Code: 384.006



**Spare Hook
for K. Nail Extractor**
Code No.: 384.040



K.Nail Measuring Gauge
Code No.: 384.008




**Diamond Pointed Bone Awl
for Femoral**
Code No.: 507.01



Diamond Pointed Bone Awl for Tibia
Code No.: 208.15

AS120 KUNTSCHER NAILS INSTRUMENTS SET

	<i>Set Consisting of:</i>	<i>Units</i>
507.01	Diamond Pointed Bone Awl for Femur	1 pc
208.15	Diamond Pointed Bone Awl for Tibia	1 pc
384.008	K.Nail Measuring Gauge	1 pc
384.006	K.Nail Extractor with Two Hooks	1 pc
384.004	K.Nail Impactor/Setting Device	1 pc
384.002	K.Nail Driver	1 pc
507.96-8	Cannulated Reamer (T - Type), Sz: 8mm	1 pc
507.96-9	Cannulated Reamer (T - Type), Sz: 9mm	1 pc
507.96-10	Cannulated Reamer (T - Type), Sz: 10mm	1 pc
507.96-11	Cannulated Reamer (T - Type), Sz: 11mm	1 pc
507.96-12	Cannulated Reamer (T - Type), Sz: 12mm	1 pc
384.012	Guide Wire for K. Nails, 2.5mm for 6 & 7mm Nails	1 pc
384.014	Guide Wire for K. Nails, 3.0mm for 8 & 9mm Nails	1 pc
384.016	Guide Wire for K. Nails, 4.0mm for 10 & 11mm Nails	1 pc
384.018	Guide Wire for K. Nails, 4.5mm for 12 & 13mm Nails	1 pc
384.020	K.Nail Reamers, Sizes: 6mm	1 pc
384.022	K.Nail Reamers, Sizes: 7mm	1 pc
384.024	K.Nail Reamers, Sizes: 8mm	1 pc
384.026	K.Nail Reamers, Sizes: 9mm	1 pc
384.028	K.Nail Reamers, Sizes: 10mm	1 pc
384.030	K.Nail Reamers, Sizes: 11mm	1 pc
384.034	K.Nail Reamers, Sizes: 13mm	1 pc



SQUARE NAIL FOR RADIUS - STAINLESS STEEL

Length in cm.	Diameter			
	1.5 mm	2 mm	3 mm	4 mm
17	183.15-17R	183.20-17R	183.25-17R	-
18	183.15-18R	183.20-18R	183.25-18R	-
19	183.15-19R	183.20-19R	183.25-19R	-
20	183.15-20R	183.20-20R	183.25-20R	183.30-20R
21	183.15-21R	183.20-21R	183.25-21R	183.30-21R
22	183.15-22R	183.20-22R	183.25-22R	183.30-22R
23	183.15-23R	183.20-23R	183.25-23R	183.30-23R
24	183.15-24R	183.20-24R	183.25-24R	183.30-24R
25	183.15-25R	183.20-25R	183.25-25R	183.30-25R
26	183.15-26R	183.20-26R	183.25-26R	183.30-26R
27	183.15-27R	183.20-27R	183.25-27R	183.30-27R
28	183.15-28R	183.20-28R	183.25-28R	183.30-28R
29	183.15-29R	183.20-29R	183.25-29R	183.30-29R
30	183.15-30R	183.20-30R	183.25-30R	183.30-30R



Square Nail Extractor Hook

Code No.	Size mm
385.020	2
385.022	2.5
385.024	3
385.026	3.5




Impactor for Square Nails

Code No.	Size
385.002	2 mm
385.004	2.5 mm
385.006	3 mm
385.008	3.5 mm





02
6



SQUARE NAIL FOR ULNA - STAINLESS STEEL

Length in cm.	Diameter					
	1.5 mm	2 mm	2.5 mm	3 mm	3.5 mm	4 mm
17	183.15-17U	183.20-17U	183.25-17U	-	-	-
18	183.15-18U	183.20-18U	183.25-18U	-	-	-
19	183.15-19U	183.20-19U	183.25-19U	-	-	-
20	183.15-20U	183.20-20U	183.25-20U	183.30-20U	183.35-20U	183.40-20U
21	183.15-21U	183.20-21U	183.25-21U	183.30-21U	183.35-21U	183.40-21U
22	183.15-22U	183.20-22U	183.25-22U	183.30-22U	183.35-22U	183.40-22U
23	183.15-23U	183.20-23U	183.25-23U	183.30-23U	183.35-23U	183.40-23U
24	183.15-24U	183.20-24U	183.25-24U	183.30-24U	183.35-24U	183.40-24U
25	183.15-25U	183.20-25U	183.25-25U	183.30-25U	183.35-25U	183.40-25U
26	183.15-26U	183.20-26U	183.25-26U	183.30-26U	183.35-26U	183.40-26U
27	183.15-27U	183.20-27U	183.25-27U	183.30-27U	183.35-27U	183.40-27U
28	183.15-28U	183.20-28U	183.25-28U	183.30-28U	183.35-28U	183.40-28U
29	183.15-29U	183.20-29U	183.25-29U	183.30-29U	183.35-29U	183.40-29U
30	183.15-30U	183.20-30U	183.25-30U	183.30-30U	183.35-30U	183.40-30U

Square Nail Reamers

Code No.	Size (Dia.)
385.010	2 mm
385.012	2.5 mm
385.014	3 mm
385.016	3.5 mm
385.018	4 mm






**RUSH NAILS
STAINLESS STEEL**


02
7

Length in cm.	Diameters						
	2 mm	2.5 mm	3 mm	3.5 mm	4 mm	5 mm	6 mm
5	186.20-05	-	-	-	-	-	-
6	186.20-06	-	-	-	-	-	-
7	186.20-07	-	-	-	-	-	-
8	186.20-08	-	-	-	-	-	-
9	186.20-09	-	-	-	-	-	-
10	186.20-10	186.25-10	186.30-10	186.35-10	-	-	-
11	186.20-11	186.25-11	186.30-11	186.35-11	-	-	-
12	186.20-12	186.25-12	186.30-12	186.35-12	-	-	-
13	186.20-13	186.25-13	186.30-13	186.35-13	-	-	-
14	186.20-14	186.25-14	186.30-14	186.35-14	-	-	-
15	186.20-15	186.25-15	186.30-15	186.35-15	186.40-15	-	-
16	186.20-16	186.25-16	186.30-16	186.35-16	186.40-16	-	-
17	186.20-17	186.25-17	186.30-17	186.35-17	186.40-17	-	-
18	186.20-18	186.25-18	186.30-18	186.35-18	186.40-18	-	-
19	186.20-19	186.25-19	186.30-19	186.35-19	186.40-19	-	-
20	186.20-20	186.25-20	186.30-20	186.35-20	186.40-20	186.50-20	186.60-20
21	186.20-21	186.25-21	186.30-21	186.35-21	186.40-21	186.50-21	186.60-21
22	186.20-22	186.25-22	186.30-22	186.35-22	186.40-22	186.50-22	186.60-22
23	186.20-23	186.25-23	186.30-23	186.35-23	186.40-23	186.50-23	186.60-23
24	186.20-24	186.25-24	186.30-24	186.35-24	186.40-24	186.50-24	186.60-24
25	186.20-25	186.25-25	186.30-25	186.35-25	186.40-25	186.50-25	186.60-25
26	-	186.25-26	186.30-26	186.35-26	186.40-26	186.50-26	186.60-26
27	-	186.25-27	186.30-27	186.35-27	186.40-27	186.50-27	186.60-27
28	-	186.25-28	186.30-28	186.35-28	186.40-28	186.50-28	186.60-28
29	-	186.25-29	186.30-29	186.35-29	186.40-29	186.50-29	186.60-29
30	-	186.25-30	186.30-30	186.35-30	186.40-30	186.50-30	186.60-30
31	-	-	-	-	186.40-31	186.50-31	186.60-31
32	-	-	-	-	186.40-32	186.50-32	186.60-32
33	-	-	-	-	186.40-33	186.50-33	186.60-33
34	-	-	-	-	186.40-34	186.50-34	186.60-34
35	-	-	-	-	186.40-35	186.50-35	186.60-35
36	-	-	-	-	186.40-36	186.50-36	186.60-36
37	-	-	-	-	186.40-37	186.50-37	186.60-37
38	-	-	-	-	186.40-38	186.50-38	186.60-38
39	-	-	-	-	186.40-39	186.50-39	186.60-39
40	-	-	-	-	186.40-40	186.50-40	186.60-40





□ INSTRUMENTS FOR RUSH NAILS



RUSH NAIL REAMERS

Code No.	Size (Dia.)
385.105	2 mm
385.106	2.5 mm
385.107	3 mm
385.108	3.5 mm
385.109	4 mm
385.110	5 mm
385.111	6 mm

02
8



Rush Nail Impactor/Introducer
Code No.: 385.101



Rush Nail Extractor
Code No.: 385.120



SUTURE WIRE
STAINLESS STEEL

Code No.	Size
184.216	16 SWG (1.60 mm)
184.217	17 SWG (1.50 mm)
184.218	18 SWG (1.25 mm)
184.219	19 SWG (1.00 mm)
184.220	20 SWG (0.90 mm)
184.221	21 SWG (0.80 mm)
184.222	22 SWG (0.70 mm)
184.223	23 SWG (0.60 mm)
184.224	24 SWG (0.55 mm)
184.226	26 SWG (0.45 mm)
184.228	28 SWG (0.35 mm)
184.230	30 SWG (0.30 mm)



**KIRSCHNER WIRE WITH TROCAR TIP BOTH END
STAINLESS STEEL**

02
9

Dia. in mm	Length				
	70 mm	100 mm	150 mm	225 mm	300 mm
0.8	185.101	185.102	185.103	-	-
0.9	185.108	185.109	185.110	-	-
1.0	-	185.115	185.116	185.117	-
1.1	-	185.121	185.122	185.123	-
1.2	-	185.126	185.127	185.128	-
1.4	-	185.131	185.132	185.133	-
1.5	-	-	185.140	185.141	185.142
1.6	-	-	185.146	185.147	185.148
1.8	-	-	185.150	185.151	185.152
2.0	-	-	185.156	185.157	185.158
2.2	-	-	185.166	185.167	185.168
2.3	-	-	185.176	185.177	185.178
2.5	-	-	185.186	185.187	185.188
3.0	-	-	185.196	185.197	185.198



**KIRSCHNER WIRE - FULLY THREADED
STAINLESS STEEL**

Code No.	Dia. mm	Length mm
185.215	1.5	225
185.220	2.0	225
185.225	2.5	225
185.415	1.5	300
185.420	2.0	300
185.425	2.5	300
185.315	1.5	150
185.320	2.0	150
185.325	2.5	150





**STEINMANN PINS
STAINLESS STEEL**

Length in mm	Diameter				
	3 mm	3.5 mm	4 mm	4.5 mm	5 mm
150	187.30-15	187.35-15	187.40-15	187.45-15	187.50-15
175	187.30-17	187.35-17	187.40-17	187.45-17	187.50-17
200	187.30-20	187.35-20	187.40-20	187.45-20	187.50-20
225	187.30-22	187.35-22	187.40-22	187.45-22	187.50-22



**CENTRALLY THREADED STEINMANN PIN
STAINLESS STEEL**

Code No.	Dia. mm	Length mm
188.040	4.0	225
188.045	4.5	225
188.050	5.0	225
188.060	6.0	225



**AUSTIN MOORE PINS, 3MM DIA. WITH 2 NUTS
STAINLESS STEEL**

Code No.	Length mm
191.001	50
191.002	55
191.003	60
191.004	65
191.005	70
191.006	75
191.007	80
191.008	85
191.009	90
191.010	95
191.011	100
191.012	105
191.013	110
191.014	115
191.015	120
191.016	125
191.017	130
191.018	135
191.019	140
191.020	145
191.021	150

02
11



**KNOWLES PIN
STAINLESS STEEL**

Code No.	Dia. mm	Length mm
192.001	3	65
192.002	3	70
192.003	3	75
192.004	3	80
192.005	3	85
192.006	3	90
192.007	3	95
192.008	3	100
192.021	4	65
192.022	4	70
192.023	4	75
192.024	4	80
192.025	4	85
192.026	4	90
192.027	4	95
192.028	4	100





02
12



**CERCLAGE WIRE WITH LOOP
STAINLESS STEEL**

Length 280 mm	Dia.		Length 600 mm
193.217	17 SWG	(1.5 mm)	193.317
193.218	18 SWG	(1.25 mm)	193.318
193.219	19 SWG	(1 mm)	193.319
193.220	20 SWG	(0.9 mm)	193.320
193.221	21 SWG	(0.8 mm)	193.321



**DRUMMER WIRE
STAINLESS STEEL**

Code	Dia.	
193.418	18 SWG	(1.25 mm)
193.419	19 SWG	(1 mm)
193.420	20 SWG	(0.9 mm)



**STAPLES - U TYPE
STAINLESS STEEL**

Dia. in mm	Width		
	15 mm	20 mm	25 mm
1.5	189.101	189.102	189.103
2.0	189.201	189.202	189.203
2.5	189.301	189.302	189.303
3.0	189.401	189.402	189.403



**STAPLES - COVENTRY
STAINLESS STEEL**

Code No.	Description
190.005	5 mm Step
190.010	10 mm Step
190.015	15 mm Step



**INSTRUMENTS FOR
'U' STAPLES, S.S.**

Code No.	Description
411.015	U Staple Inserter/Impactor
411.020	U Staple Driver
411.025	U Staple Extractor

**INSTRUMENTS FOR
COVENTRY STAPLES, S.S.**

Code No.	Description
410.015	Coventry Staple Inserter
410.020	Coventry Staple Impactor
410.025	Coventry Staple Extractor

02
13



U Staple Inserter/Impactor
Code No.: 411.015



Coventry Staple Inserter
Code No.: 410.015



U Staple Driver
Code No.: 411.020



Coventry Staple Impactor
Code No.: 410.020



U Staple Extractor
Code No.: 411.025



Coventry Staple Extractor
Code No.: 410.025





PINS & WIRE INSTRUMENTS

Code No.	Description
321.010	Wire Twister - Circular
321.020	Wire Tightner with Two Pegs
321.030	Wire Tightner/Twister
321.031	Wire Tightner cum Twister cum Cutter
322.010	K.Wire Introducer
322.030	K. Wire Bender
322.040 to 042	K. Wire Tractor-Small, Medium, Large
323.010 to 030	Wire Passer - Small, Medium, Large
324.010	Plier cum Wire Bender
324.030	Plier cum Wire Bender cum Wire Cutter, 9î
324.040	Plier cum Wire Bender cum Wire Cutter, 11î
324.050	Flat Nose Plier
325.010	T-handle with S.S.Chuck & Key
325.011	S.S.Chuck & Key
325.030 to 050	Steinmann Pin Holder - Small, Medium, Large
325.060 to 090	Steinmann Pin Holder, Extra Large - 14î, 16î, 18î, 20î
326.010	Bone Awl
327.010	Small Heck Saw with two Imported Blades
327.012	Spare Blade for Small Heck Saw
328.000	Tripple Drill Guide 2.0mm
329.000	Long Forceps for Twisting Wire
330.000	Holding Forceps for Circlage Wire
331.000	Circlage Wire Tightner
331.105	Steinmen Pin Cutter / Plate Cutter (Capacity 5.0mm)



Wire Tightner/Twister
Code No.: 321.030



Plier cum Wire Bender cum Wire Cutter
Code No.: 324.030



K - Wire Introducer
Code No.: 322.010




K. Wire Tractor-Small, Medium, Large
Code No.: 322.040 to 322.042

02
15



K. Wire Bender
Code No.: 322.030



Wire Passer
Code No.: 323.010



T-Handle with S.S.Chuck & Key
Code No.: 325.010



S.S.Chuck & Key
Code No.: 325.011



Tripple Drill Guide 2.0mm
Code No.: 328.000



Steinmann Pin Holder
Code No.: 325.030 to 325.090



Bone Awl with Eye
Code No.: 326.010





Holding Forceps for Circlage Wire
Code No.: 330.000



Circlage Wire Tightner
Code No.: 331.000



Wire Tightner cum Twister cum Cutter
Code No.: 321.031



Steinmen Pin Cutter / Plate Cutter
(Capacity 5mm)
Code No.: 331.105

AS025 WIRE IMPLANTS & INSTRUMENT SET

Set Consisting of:

Units

INSTRUMENTS:

321.030	Wire Tightner Cum Twister	1
324.030	Plier cum Wire Bender cum Wire Cutter 9"	1
324.010	Plier Cum Wire Bender	1
322.030	K.Wire Bender	1
323.020	Wire Passer - Medium	2
322.010	K.Wire Introducer	1
325.010	T- Handle with Chuck (Steinmann Pin Introducer)	1
326.010	Bone Awl with Eye	1

IMPLANTS:

185.117	K.Wire Dia 1.0mm, Length 225mm	15
185.141	K.Wire Dia 1.5mm, Length 225mm	15
185.157	K.Wire Dia 2.0mm, Length 225mm	15
185.187	K.Wire Dia 2.5mm, Length 225mm	15
185.197	K.Wire Dia 3.0mm, Length 225mm	15
184.218	S.S. Wire : 18 SWG (2 each)	2
184.220	S.S. Wire : 20 SWG (2 each)	2
184.222	S.S. Wire : 22 SWG (2 each)	2
187.30-22	Steinmann Pin Dia 3.5, Length 225mm	5
187.40-22	Steinmann Pin Dia 4.0, Length 225mm	5
187.45-22	Steinmann Pin Dia 4.5, Length 225mm	5
903.015	S.S. Container	1 Set