




No.1 & GROWING
NARANG MEDICAL LIMITED
ISO 9001:2000, ISO 13485:2003, CE & WHO-GMP Compliance

☐ BROKEN SCREWS REMOVAL SET



DAMAGED SCREWS REMOVAL INSTRUMENTS

AS671

DAMAGED SCREWS REMOVAL INSTRUMENT SET

Set Consisting of:

Units

EXTRACTION BOLTS:

406.005	For 2.0 mm Cortex Screws	1
406.009	For 2.7 mm Cortex Screws and 3.0 mm Cannulated Screws	1
406.013	For 3.5 mm Cortex, 4.0 mm Cancellous Bone Screws, and 3.5 mm and 4.0 mm Cannulated Screws	1
406.017	For 4.5 mm Cortex Screws and 4.5mm Cannulated Screws	1
406.025	For 6.5 mm Cancellous Bone Screws and 7.0 mm Cannulated Screws	1

HOLLOW REAMER:

406.030	For 1.5 mm Cortex Screws	1
406.033	For 2.0 mm Cortex Screws	1
406.036	For 2.7 mm Cortex Screws and 3.0 mm Cannulated Screws	1
406.039	For 3.5 mm Cortex, 4.0 mm Cancellous Bone Screws, and 3.5 mm and 4.0 mm Cannulated Screws	1
406.042	For 4.5 mm Cortex Screws and 4.5mm Cannulated Screws	1
406.045	For 6.5 mm Cancellous Bone Screws and 7.0 mm Cannulated Screws	1

CENTRERING PIN

406.050	For 1.5 mm Cortex Screws	1
406.054	For 2.0 mm Cortex Screws	1
406.058	For 2.7 mm Cortex Screws and 3.0 mm Cannulated Screws	1
406.062	For 3.5 mm Cortex, 4.0 mm Cancellous Bone Screws, and 3.5 mm and 4.0 mm Cannulated Screws	1
406.066	For 4.5 mm Cortex Screws and 4.5mm Cannulated Screws	1
406.070	For 6.5 mm Cancellous Bone Screws and 7.0 mm Cannulated Screws	1

CONNECTING END WITH CENTRERING PIN

406.073	For 1.5 mm Cortex Screws	1
406.075	For 2.0 mm Cortex Screws	1
406.077	For 2.7 mm Cortex Screws and 3.0 mm Cannulated Screws	1
406.079	For 3.5 mm Cortex, 4.0 mm Cancellous Bone Screws, and 3.5 mm and 4.0 mm Cannulated Screws	1
406.081	For 4.5 mm Cortex Screws and 4.5mm Cannulated Screws	1
406.083	For 6.5 mm Cancellous Bone Screws and 7.0 mm Cannulated Screws	1

CONICAL EXTRACTION SCREWS:

406.090	For Threaded Washers	1
406.092	For 1.5 mm and 2.0 mm Cortex Screws	
406.094	For 2.7 mm and 3.5 mm Cortex, 3.5 mm Cannulated, 4.0 mm Cancellous Bone Screws, and 3.9 mm Locking Bolts	1
406.096	For 4.5 mm Cortex, 6.5 mm Cancellous Bone Screws, 4.5 mm and 7.0 mm Cannulated Screws, and 4.9 mm Locking Bolts	1
305.020	Counter Sink for 3.5, 4.0mm Screws (6.0mm Head), SS	1
305.030	Counter Sink for 4.5, 6.5mm Screws (8.0mm Head), SS	1
301.150	Solid Hexagonal Screwdriver, 4.0 mm width across flats	1
306.010	Quick Coupling Handle (T- Type), SS	1
371.000	Sharp Hook	1

Contd...

<i>Set Consisting of:</i>		<i>Units</i>
406.110	Handle, with mini quick coupling	1
406.113	1.5 mm/2.0 mm Cruciform Screwdriver Shaft	1
406.116	Small Hexagonal Screwdriver Shaft 2.5 mm width across flats	1
406.119	Large Hexagonal Screwdriver with T-Handle	1
406.122	Large Hexagonal Screwdriver shaft	1
406.125	Cannulated Driver, for Threaded Washers	1
406.128	Forceps, for broken screw removal	1
406.131	Hollow Gouge, for broken screw exposure	1
406.134	Plier for Screw Removals	1
406.140	S.S. Container	1



EXTRACTION BOLTS

Code No.	Description
406.001	for 1.5mm Screws
406.005	for 2.0mm Screws
406.009	for 2.7mm Screws
406.013	for 3.5/4.0mm Screws
406.017	for 4.5mm Screws
406.025	for 6.5/7.0mm Screws



HOLLOW REAMER

Code No.	Description
406.030	for 1.5mm Screws
406.033	for 2.0mm Screws
406.036	for 2.7mm Screws
406.039	for 3.5/4.0mm Screws
406.042	for 4.5mm Screws
406.045	for 6.5/7.0mm Screws

08
3



CENTRERING PIN

Code No.	Description
406.050	for 1.5mm Screws
406.054	for 2.0mm Screws
406.058	for 2.7mm Screws
406.062	for 3.5/4.0mm Screws
406.066	for 4.5mm Screws
406.070	for 6.5/7.0mm Screws



CONNECTING END

Code No.	Description
406.073	for 1.5mm Screws
406.075	for 2.0mm Screws
406.077	for 2.7mm Screws
406.079	for 3.5/4.0mm Screws
406.081	for 4.5mm Screws
406.083	for 6.5/7.0mm Screws



ASSEMBLY OF HOLLOW REAMERS:





DAMAGED SCREWS REMOVAL INSTRUMENTS



CONICAL EXTRACTION SCREWS

Code No.	Description
406.090	for Threaded Washers
406.093	for 1.5mm & 2.0mm Screws
406.096	for 2.7mm/3.5mm/4.0mm Screws
406.099	for 4.5mm/6.5mm/7.0mm Screws



1.5mm/2.0mm Cruciform Screwdriver Shaft Handle with Mini Quick Coupling

Code No.: 406.113



Counter Sink for 3.5, 4.0mm Screws (6.0mm Head)

Code No.: 305.020



Counter Sink for 4.5 & 6.5mm Screws (8.0mm Head)

Code No.: 305.030



Solid Hexagonal Screwdriver, 4.0 mm width across flats

Code No.: 301.150



Quick Coupling Handle (T-Type)

Code No.: 306.010



Sharp Hook

Code No.: 371.000




Handle with Mini Quick Coupling

Code No.: 406.110



Small Hexagonal Screwdriver Shaft 2.5 mm width Across Flats

Code No.: 406.116



Extra Large Hexagonal Screw Driver with T-Handle

Code No.: 406.119



Large Hexagonal Screwdriver Shaft

Code No.: 406.122



Cannulated Driver for Threaded Washers

Code No.: 406.125



Plier for Screw Removals

Code No.: 406.134



Hollow Gouge for Broken Screw Exposure

Code No.: 406.131

08
4